




























## HOUGEN® CUTTER COMPARISON CHART

									
<b>Tool Series:</b>	<b>RotaCut™</b>	<b>Extended Reach</b>	<b>Holcutter™</b>	<b>Carbide Holcutter™</b>	<b>RotaLoc™</b>	<b>RotaLoc Plus™</b>	<b>Rotabroach®</b>	<b>Copperhead™</b>	<b>“42/43,000”</b>
<b>Diameter Range Min. / Max.</b>	1/4" to 1-1/2" (6mm - 25mm)	3/8" to 9/16"	11/16" to 3"	11/16" to 3"	1/2" to 1-1/16" (12mm - 27mm)	7/16" to 1-3/8" (12mm - 35mm)	7/16" to 2-3/8" (12mm - 52mm)	9/16" to 2" (14mm - 50mm)	3/4" to 3-1/16"
<b>Max. Depth of Cut</b>	1/4" to 1/2" (6.4mm - 12.7mm)	1/4" (6.4mm)	1/8" (3.2mm)	1/8" (3.2mm)	3/4" - (19mm) Stack Geometry	1" - (25mm)	1", 2", or 3" (25mm to 76mm)	2" or 3" (50mm or 76mm)	2" or 3" (50mm or 76mm)
<b>Mounting</b>	3/8" or 1/2" Triple Flat Shank	3/8" Triple Flat Shank	3/8" Triple Flat Shank	3/8" or 1/2" Triple Flat Shank	Bayonet Style	Bayonet Style	3/4" Double Flat Shank	3/4" Double Flat or Fusion™ Shank	3/4" Weldon or 1-1/4" Weldon
<b>Cutter Material(s) Available</b>	M2 HSS	M2 HSS	M2 HSS	Carbide Tip	M42 HSS	M2 HSS	M2 HSS, M2 TiN Coat, or M42 TiN	Carbide Tip	M2 HSS or M2 TiN Coat
<b>Can be Resharpener</b>	===== Disposable =====								
<b>Available Grind Down (Within Limits)</b>									
<b>Max. Application Hardness Rating</b>	275 BHN (28.5 HRC)	275 BHN (28.5 HRC)	275 BHN (28.5 HRC)	450 BHN (47.2 HRC)	350 BHN (37.7 HRC)	275 BHN (28.5 HRC)	275 BHN 325 BHN (TiN)	450 BHN (47.2 HRC)	275 BHN 325 BHN (TiN)
<b>Recommended Lubrication</b>	Slick-Stik™	Slick-Stik™	Slick-Stik™	Slick-Stik™	Slick-Stik™	Slick-Stik™	RotaMagic™	RotaMagic™	RotaMagic™
<b>Aluminum</b>	===== High RPM & Fast Feed Rates Suggested =====								
<b>Mild Steel</b>									
<b>Harder Steel</b>	Good				Better	Good	Standard - Good TiN - Better		Standard - Good TiN - Better
<b>Stainless Steel</b>	Good		Recommend Speed Reducer		Good		TiN Coat or Premium Recommended		TiN Coat Recommended